




ISIS
Vehicle Information



Components	
VIN : 1HTMKAAN69H091448	178 Components found. <input type="button" value="Export"/>

Class Description	Parts Catalog	Compor	Component Line	Description
1 FRAMES	0001CAE		0001CAE	FRAME RAILS Heat Treated Alloy Steel (120,000 PSI Yield); 10.125" x 3.580" x 0.312" (257.2mm x 90.9mm x 8.0mm); 420.0" (10668mm) Maximum OAL
2 FRAMES	0001LLD		0001LLD	BUMPER, FRONT Full Width, Aerodynamic, Steel; 0.142" Material Thickness
3 FRAMES	0001WAC		0001WAC	BUMPER EXTENSION, FRONT 4.0"
4 FRAMES	0001WEJ		0001WEJ	WHEELBASE RANGE 199" (505cm) Through and Including 254" (645cm)
5 FRAMES	0001570		0001570	TOW HOOK, FRONT (2) Inside Rail, Frame Mounted.
6 FRONT AXLES	0002ADC		0002ADC	AXLE, FRONT NON-DRIVING {International I-100SG} I-Beam Type, 10,000-lb Capacity
7 FRONT SUSPENSIONS	0003ADB		0003ADB	SUSPENSION, FRONT, SPRING Parabolic, Taper Leaf; 10,000-lb Capacity; With Shock Absorbers
8 BRAKES	0004AZA		0004AZA	AIR BRAKE ABS {Bendix AntiLock Brake System} Full Vehicle Wheel Control System (4-Channel)
9 BRAKES	0004EBS		0004EBS	AIR DRYER {Bendix AD-9} With Heater
10 BRAKES	0004JBG		0004JBG	BRAKES, FRONT, AIR CAM S-Cam; 15.0" x 4.0"; Includes 20 Sq. In. MGM Long Stroke Brake Chambers
11 BRAKES	0004NCG		0004NCG	BRAKES, REAR, AIR CAM 15.0" x 8.63", Includes MGM TR2430 Long Stroke Brake Chambers and Heavy Duty Spring Actuated Parking Brake
12 BRAKES	0004SBC		0004SBC	AIR COMPRESSOR {Bendix Tu-Flo 550} 13.2 CFM Capacity
13 BRAKES	0004091		0004091	BRAKE SYSTEM, AIR Dual System for Straight Truck Applications
14 STEERING	0005AAA		0005AAA	STEERING COLUMN Stationary
15 STEERING	0005CAL		0005CAL	STEERING WHEEL 2-Spoke, 18" Diam., Black
16 STEERING	0005PSA		0005PSA	STEERING GEAR {Sheppard M-100} Power
17 EXHAUST SYSTEMS	0007BDA		0007BDA	EXHAUST SYSTEM Single, Horizontal, Aftertreatment Device, Frame Mounted Right Side Back of Cab, Includes Horizontal Tail Pipe
18 ELECTRICAL SYSTEMS	0008GEP		0008GEP	ALTERNATOR {Leece-Neville 8LHP2170PH} Brush Type; 12 Volt 130 Amp. Capacity, Pad Mounted
19 ELECTRICAL SYSTEMS	0008HAB		0008HAB	BODY BUILDER WIRING Back of Standard Cab at Left Frame or Under Extended or Crew Cab at Left Frame; Includes Sealed Connectors for Tail/Amber Turn/Marker/ Backup/Accessory

			Power/Ground and Sealed Connector for Stop/Turn
			ELECTRIC TRAILER BRAKE/LIGHTS Accommodation Package to Rear of Frame; for Combined Trailer Stop, Tail, Turn, Marker Light Circuits; Includes Electric Trailer Brake Accommodation Package With Cab Connections for Mounting Customer Installed Electric Brake Unit, Less Trailer Socket
20	ELECTRICAL SYSTEMS	0008HAH	0008HAH
21	ELECTRICAL SYSTEMS	0008MEP	0008MEP
22	ELECTRICAL SYSTEMS	0008RGP	0008RGP
23	ELECTRICAL SYSTEMS	0008THB	0008THB
24	ELECTRICAL SYSTEMS	0008THJ	0008THJ
25	ELECTRICAL SYSTEMS	0008TMH	0008TMH
26	ELECTRICAL SYSTEMS	0008WGL	0008WGL
27	ELECTRICAL SYSTEMS	0008WMA	0008WMA
28	ELECTRICAL SYSTEMS	0008WPB	0008WPB
29	ELECTRICAL SYSTEMS	0008WPH	0008WPH
30	ELECTRICAL SYSTEMS	0008WPZ	0008WPZ
31	ELECTRICAL SYSTEMS	0008WRB	0008WRB
32	ELECTRICAL SYSTEMS	0008WTK	0008WTK
33	ELECTRICAL SYSTEMS	0008WWJ	0008WWJ
34	ELECTRICAL SYSTEMS	0008000	0008000
35	ELECTRICAL SYSTEMS	0008585	0008585
36	FRONT END	0009HAD	0009HAD
37	FRONT END	0009WAY	0009WAY
38	MISC	0010WYZ	0010WYZ

			SPEC Vehicle	
39	SPEEDOMETER, TOOLS, MISC	0010060	0010060	PAINT SCHEMATIC, PT-1 Single Color, Design 100
40	SPEEDOMETER, TOOLS, MISC	0010210	0010210	LABEL Emissions, Fuel Economy and Noise.
41	SPEEDOMETER, TOOLS, MISC	0010761	0010761	PAINT TYPE Base Coat/Clear Coat, 1-2 Tone
42	CLUTCH	0011001	0011001	CLUTCH Omit Item (Clutch & Control)
43	ENGINE	0012NTB	0012NTB	ENGINE, DIESEL {International MaxxForce DT} 285 HP, 800 lb-ft Torque @ 1400 RPM, 2400 RPM Governed Speed, # 2 Bell Housing
44	ENGINE	0012TSY	0012TSY	FAN DRIVE {Borg-Warner SA85} Viscous Screw On Type
45	ENGINE	0012UXV	0012UXV	FEDERAL EMISSIONS for 2004; for International VT365, DT466 and DT570 Engines
46	ENGINE	0012UYD	0012UYD	RADIATOR Aluminum; 2-Row, Cross Flow, Over Under System, 816 SqIn Louvered, With 313 SqIn Charge Air Cooler. With In-Tank Transmission Cooler
47	ENGINE	0012VBC	0012VBC	AIR CLEANER Single Element
48	ENGINE	0012VXT	0012VXT	THROTTLE, HAND CONTROL Engine Speed Control; Electronic, Stationary, Variable Speed; Mounted on Steering Wheel
49	ENGINE	0012VYX	0012VYX	FEDERAL EMISSIONS 2007 for International MaxxForce DT Engines (DT466)
50	ENGINE	0012VZA	0012VZA	ENGINE CONTROL, REMOTE MOUNTED Provision for; Includes Wiring for Body Builder Installation of PTO Controls; With Ignition Switch Control for International post 2007 Emissions Electronic Engines
51	ENGINE	0012WYS	0012WYS	EXPANDED ENGINE TEMP EFFECTS to Allow Higher Engine Operating Temperature Range; Includes Nylon Surge Tank and 15 psi Pressure Cap
52	ENGINE	0012WZE	0012WZE	EMISSION COMPLIANCE Federal, Does Not Comply With California Clean Air Regulations
53	TRANSMISSION	0013AJK	0013AJK	TRANSMISSION, AUTOMATIC {Allison 3500_RDS_P} 4th Generation Controls; Wide Ratio, 5-Speed, With Overdrive; On/Off Hwy; Includes Oil Level Sensor, With PTO Provision, Less Retarder, With 80,000-lb GVW & GCW Max.
54	TRANSMISSION	0013WBL	0013WBL	TRANSMISSION SHIFT CONTROL {Allison} Push-Button Type; for Allison 3000 & 4000 Series Transmission
55	TRANSMISSION	0013WDX	0013WDX	SHIFT CONTROL PARAMETERS WT-Allison S-4 Economy Programming in Primary and Allison S-1 Performance Programming in Secondary
56	TRANSMISSION	0013WLD	0013WLD	TRANSMISSION OIL {Castrol TranSynd} Synthetic; 29 thru 42 Pints
57	TRANSMISSION	0013WUC	0013WUC	ALLISON SPARE INPUT/OUTPUT for Rugged Duty Series (RDS); General Purpose Trucks, Construction

58	REAR AXLES, SUSPENSIONS	0014AGG	0014AGG	AXLE, REAR, SINGLE {Dana Spicer 21060S} Single Reduction, 21,000-lb Capacity, 190 Wheel Ends
59	REAR AXLES, SUSPENSIONS	0014VAH	0014VAH	SUSPENSION, RR, SPRING, SINGLE Vari-Rate; 23,500-lb Capacity, With 4500 lb Auxiliary Rubber Spring
60	REAR AXLES, SUSPENSIONS	0014WAP	0014WAP	SHOCK ABSORBERS, REAR (2)
61	FUEL TANKS	0015LKG	0015LKG	FUEL/WATER SEPARATOR With Thermostatic Fuel Temperature Controlled Electric Heater, and Filter Restriction/Change Indicator, Includes Standard Equipment Water-in-Fuel Sensor
62	FUEL TANKS	0015SCD	0015SCD	FUEL TANK Top Draw; D Style, Steel, 50 U.S. Gal., 189 L Capacity, 16" Deep, With Quick Connect Outlet, Mounted Right Side, Under Cab
63	CABS, COWLS, BODIES	0016HBA	0016HBA	GAUGE CLUSTER English With English Electronic Speedometer
64	CABS, COWLS, BODIES	0016HGH	0016HGH	GAUGE, OIL TEMP, ALLISON TRAN
65	CABS, COWLS, BODIES	0016HKT	0016HKT	IP CLUSTER DISPLAY On Board Diagnostics Display of Fault Codes in Gauge Cluster
66	CABS, COWLS, BODIES	0016JNT	0016JNT	SEAT, DRIVER {National 2000} Air Suspension, High Back With Integral Headrest, Vinyl, Isolated, With 2 Position Front Cushion Adjustment, -3 to +14 Degree Seat Back Adjustment, Single Chamber Air Lumbar Support
67	CABS, COWLS, BODIES	0016PJH	0016PJH	SEAT, PASSENGER {Gra-Mag} Non Suspension, High Back With Integral Headrest, Vinyl, With Fixed Back
68	CABS, COWLS, BODIES	0016RZD	0016RZD	SEAT, REAR {International} BENCH; Full Width; Vinyl, With Fixed Back and Two Integral Outboard Headrest
69	CABS, COWLS, BODIES	0016SDJ	0016SDJ	MIRRORS (2) {Lang Mekra} Rectangular, 7.44" x 14.84" & 7.44" sq. Convex Both Sides, 102" Inside Spacing, Brakeaway Type, Black Heads, Brackets & Arms
70	CABS, COWLS, BODIES	0016VBW	0016VBW	CAB MOUNTING HEIGHT EFFECTS Mid Cab in Lieu of Low Cab Mounting Height (Approx. 4") for Increased Cooling System Requirements
71	CABS, COWLS, BODIES	0016VCB	0016VCB	SEAT BELT All Orange; 4 to 6
72	CABS, COWLS, BODIES	0016WJS	0016WJS	INSTRUMENT PANEL Center Section, Flat Panel
73	CABS, COWLS, BODIES	0016WKB	0016WKB	AIR CONDITIONER {International Blend-Air} With Integral Heater & Defroster
74	CABS, COWLS, BODIES	0016WKY	0016WKY	FRESH AIR FILTER for HVAC
75	CABS, COWLS, BODIES	0016WSG	0016WSG	CAB INTERIOR TRIM Deluxe; for Crew Cab
76	CABS, COWLS, BODIES	0016WSK	0016WSK	CAB REAR SUSPENSION Air Bag Type
77	CABS, COWLS, BODIES	0016000	0016000	FLOOR COVERING Transmission Cover, Floor Mats and Seal
78	CABS, COWLS, BODIES	0016196	0016196	CAB Conventional 6-Man Crew Cab
79	WHEELS, TIRES - FRONT	0027DNE	0027DNE	WHEELS, FRONT DISC; 19.5" Painted Steel, 5 Hand Hold, 10-Stud (285.75MM BC) Hub Piloted, Flanged Nut, Metric Mount, 7.50 DC

			Rims; With Steel Hubs	
80	WHEELS, TIRES - REAR	0028DNE	0028DNE	WHEELS, REAR DUAL DISC; 19.5" Painted Steel, 5 Hand Hole, 10-Stud (285.75MM BC) Hub Piloted, Flanged Nut, Metric Mount, 7.50 DC Rims; With Steel Hubs
81	WARRANTY	0040BMK	0040BMK	SRV CONTRACT, EXT VEH COVERAGE To 60-Month/ 100,000 Miles (160,000 km); With 90-Day Towing; Covers 100% Parts and Labor, Excludes Extending Warranty for Engine, Transmission, Frame Side Rails, Paint, Perforation or Corrosion of Cab/Cowl Structure
82	WARRANTY	0040024	0040024	WARRANTY Medium Duty Standard 24 Month
83		0427DTB	0427DTB	
84		0427DTK	0427DTK	
85	MISC	0500013	0500013	TRACKING Reg 142 MVC C
86	MISC	0504057	0504057	AIR TANK VOLUME IDENTITY Nominal 3484 CuIn System Capacity
87	SPEEDOMETER, TOOLS, MISC	0504104	0504104	ENGINEERING ABS IDENTITY for ABS-6
88	BRAKES	0504200	0504200	DRAIN VALVE (3) Petcocks
89	BRAKES	0504300	0504300	AIR TANK Steel, With Quality Connect Ports
90	BRAKES	0504306	0504306	SLACK ADJUSTERS, FRONT {Meritor} Automatic
91	BRAKES	0504355	0504355	SLACK ADJUSTERS, REAR {Meritor} Automatic
92	BRAKES	0504396	0504396	AIR DRYER LOCATION Mounted Inside Left Rail, Back of Cab
93	BRAKES	0504438	0504438	BRAKE LININGS, FRONT {Meritor MA212} Non-Asbestos for S-Cam Brake
94	BRAKES	0504439	0504439	BRAKE LININGS, REAR {Meritor MA212} Non-Asbestos for S-Cam Brake
95	BRAKES	0504441	0504441	BRAKE IDENTITY, FRONT {Meritor Q-Plus}
96	BRAKES	0504442	0504442	BRAKE IDENTITY, REAR {Meritor Q-Plus}
97	BRAKES	0504602	0504602	AIR TANK LOCATION (2) Two Mounted Under Battery Box, Outside Left Rail, Under Cab
98	DRIVELINES	0506001	0506001	YOKE, TRANSMISSION OUTPUT
99	DRIVELINES	0506010	0506010	YOKE, REAR-REAR AXLE, INPUT or Single Rear Axle Input
100	DRIVELINES	0506100	0506100	DRIVELINE LABOR IDENTITY for Driveline Labor
101	DRIVELINES	0506102	0506102	CENTER BEARING, FIRST
102	DRIVELINES	0506103	0506103	CENTER BEARING, SECOND
103	DRIVELINES	0506104	0506104	CENTER BEARING, THIRD
104	DRIVELINES	0506110	0506110	CENTER BEARING MTG. PARTS
105	EXHAUST SYSTEMS	0507010	0507010	TAIL PIPE (1) Horizontal Short with Heat Diffuser, Non-Bright Finish, for Single Exhaust
106	ELECTRICAL SYSTEMS	0508002	0508002	BATTERY BOX Steel With Plastic Lid, Up to 3 Battery Capacity, Mounted Left Side Under Cab
107	ELECTRICAL SYSTEMS	0508014	0508014	TAIL LIGHT LOCATION Tail Lights Located on Inside of Frame Rail
				ELECTRICAL SYSTEM MUX for Body Controller